






Item code: **COSE**



TERMS OF USE

H

Hard Conditions: bar, pub

SG

Seaside

M

Medium Conditions: HORECA

MATERIALS AND FINISHES

Power coated frame

Polypropylene rope



Graphite

Syrah

Sand

Charcoal


Marsala

Ecrù

TYPE OF PRODUCT

Assembled


PACKAGING



1 pz



7,5 Kg



0,36 m³



61 x 64 x 91 cm

Item code: **COPO**



TERMS OF USE

H

Hard Conditions: bar, pub

SG

Seaside

M

Medium Conditions: HORECA

MATERIALS AND FINISHES

Power coated frame

Polypropylene rope



Graphite

Syrah

Sand

Charcoal


Marsala

Ecrù

TYPE OF PRODUCT

Assembled


PACKAGING



1 pz



10,5 Kg



0,47 m³



72 x 80 x 81 cm

Item code: **CODI**



TERMS OF USE

H

Hard Conditions: bar, pub

SG

Seaside

M

Medium Conditions: HORECA

MATERIALS AND FINISHES

Power coated frame

Polypropylene rope



Graphite

Syrah

Sand

Charcoal


Marsala

Ecrù

TYPE OF PRODUCT

Assembled


PACKAGING




1 pz



18,5 Kg




0,84 m³



130 x 80 x 81 cm

Item code: **COPOG**



TERMS OF USE

H

Hard Conditions: bar, pub

SG

Seaside

M

Medium Conditions: HORECA

MATERIALS AND FINISHES

Power coated frame

Polypropylene rope



Graphite

Syrah

Sand

Charcoal


Marsala

Ecrù

TYPE OF PRODUCT

Assembled


PACKAGING




1 pz



4 Kg




0,18 m³



64 x 57 x 50 cm

Item code: **COTAV**



Tavolo in tubolare di acciaio diametro 25 mm zincato e verniciato a polvere.

TERMS OF USE

- H** Hard Conditions: bar, pub
- SG** Seaside
- M** Medium Conditions: HORECA

MATERIALS AND FINISHES

Power coated frame




Graphite Syrah Sand

TYPE OF PRODUCT

Assembled


PACKAGING



1 pz



18 Kg



0,32 m³



64 x 64 x 79 cm

CURA E MANUTENZIONE

ACCIAIO

Lavare il prodotto con acqua, asciugare bene e passare olio di vaselina su tutta la struttura per mantenere colorazione, lucentezza e aumentare la protezione dalla ruggine. Per il ferro battuto si consiglia di applicare una soluzione di limone e sale, lasciandola riposare per mezz'ora e successivamente strofinare con una spazzola. Anche l'aceto di vino bianco ha lo stesso potere pulente del limone. In caso di zone rovinate dall'usura o dalla ruggine si può rimuovere con carta vetrata, prima a grana grossa poi a grana fine. Una volta eliminata la ruggine applicare un prodotto antiruggine sul quale, una volta asciutto, passare un olio o cera d'api così da conferire al ferro un aspetto lucido e piacevole.

CORDA

La corda non necessita di un trattamento specifico, ma se si desidera si può provvedere a lavarla periodicamente. Per non danneggiarla durante questa operazione si suggerisce di utilizzare solo acqua pulita e tiepida (temperatura non superiore ai 30°C), un detergente neutro come il sapone di Marsiglia o per i tessuti delicati, ed infine una spazzola sintetica a setole morbide. Una volta terminata la fase di lavaggio si consiglia di far asciugare la corda in un luogo all'ombra, lontano da fonti di calore e possibilmente all'aria aperta.

CARE AND MAINTENANCE

STEEL

Clean the product with water, blot dry and apply vaseline oil over the entire structure to maintain colour, shine and increase rust protection. For wrought iron it is recommended to apply a solution of lemon and salt, let it set for half an hour and then scrub with a brush. White wine vinegar has the same cleaning power as lemon. In case of areas damaged by wear or rust use sandpaper from coarse to fine grain. Once all the rust has been removed, apply a coat of anti-rust product and, once completely dry, apply a layer of oil or beeswax to give the iron a shiny and pleasant finish.

ROPE

Rope does not need any special maintenance, but it can be washed periodically. To avoid damaging the rope during this operation please use clean, lukewarm water (temperature not exceeding 30°C), a neutral detergent such as Marseille soap or one for delicate fabric, and a synthetic brush with soft bristles. Once the rope is cleaned, let it dry away from direct sunlight, possibly in the shadow, away from heat sources and in the open air.